ELSEVIER

Hearing Research 87 (1995) 228–229

HEARING RESEARCH

Author Index

Baber, A., see Bobbin, R.P. (87) 49
Bagger-Sjöbäck, D., see Zuo, J. (87) 220
Berlin, C.I., Hood, L.J., Hurley, A.E., Wen, H. and Kemp, D.T.
Binaural noise suppresses linear click-evoked otoacoustic emissions more than ipsilateral or contralateral noise (87) 96
Beykirch, K., see Naito, Y. (87) 141
Bobbin, R.P., Fallon, M., LeBlanc, C. and Baber, A.
Evidence that glutathione is the unidentified amine (Unk 2.5) released by high potassium into cochlear fluids (87) 49
Bobbin, R.P., see Chen, C. (87) 1
Bobbin, R.P., see Skellett, R.A. (87) 41
Boettcher, F.A., White, D.R., Mills, J.H. and Schmiedt, B.N.
Age-related changes in auditory evoked potentials of gerbils. III. Low-frequency responses and repetition rate effects (87) 208
Braun, A., see Moore, J.K. (87) 21
Bright, L., see Chen, C. (87) 1

Carr, C.E., see Code, R.A. (87) 69
Chen, C., Nenov, A., Skellett, R., Fallon, M., Bright, L., Norris, C.H. and Bobbin, R.P.
Nitroprusside suppresses cochlear potentials and outer hair cell responses (87) 1
Code, R.A. and Carr, C.E.
Enkephalin-like immunoreactivity in the chick brainstem: possible relation to the cochlear efferent system (87) 69
Collet, L., see Lina-Granade, G. (87) 55
Cotanche, D.A., see Lee, K.H. (87) 9
Crist, J.R., see Skellett, R.A. (87) 41
Curtis, L.M., see Zuo, J. (87) 220

De Snoo, S.L., see Frijns, J.H.M. (87) 170

Fallon, M., see Bobbin, R.P. (87) 49
Fallon, M., see Chen, C. (87) 1
Fallon, M., see Skellett, R.A. (87) 41
Ferrary, E., see Laurell, G. (87) 16
Finlayson, P.G.
Decreased inhibition to lateral superior olive neurons in young and aged Sprague-Dawley rats (87) 84
Freeman, D.M., see Shah, D.M. (87) 187
Frijns, J.H.M., De Snoo, S.L. and Schoonhoven, R.
Potential distributions and neural excitation patterns in a rotationally symmetric model of the electrically stimulated cochlea (87) 170

Gu, R., see Su, Z.-L. (87) 62

Hafidi, A., see Zine, A. (87) 165
Honrubia, V., see Naito, Y. (87) 141
Hood, L.J., see Berlin, C.I. (87) 96
Hultcrantz, M., see Zuo, J. (87) 220
Hurley, A.E., see Berlin, C.I. (87) 96

Ikeda, K., see Suzuki, H. (87) 32

Jiang, S.-C., see Su, Z.-L. (87) 62

Katori, Y., see Suzuki, H. (87) 32
Kemp, D.T., see Berlin, C.I. (87) 96
Kirsch, J.P., see Money, M.K. (87) 104
Klump, G.M. and Langemann, U.
Comodulation masking release in a songbird (87) 157

Langemann, U., see Klump, G.M. (87) 157
Laurell, G., Teixeira, M., Sterkers, O. and Ferrary, E.
Effect of cisplatin administration on the electrochemical composition of endolymph in the rat cochlea (87) 16
LeBlanc, C., see Bobbin, R.P. (87) 49
Lee, K.H. and Cotanche, D.A.
Detection of β-actin mRNA by RT-PCR in normal and regenerating chicken cochleae (87) 9
Lee, W.S., see Naito, Y. (87) 141
Lina-Granade, G. and Collet, L.
Effect of interstimulus interval on evoked otoacoustic emissions (87) 55

Mäkelä, J.P., see Vasama, J.-P. (87) 132
Mandava, P., Rupert, A.L. and Moushegian, G.
Vowel and vowel sequence processing by cochlear nucleus neurons (87) 114
Mills, J.H., see Boettcher, F.A. (87) 208
Money, M.K., Pippin, G.W., Weaver, K.E., Kirsch, J.P. and Webster, D.B.
Auditory brainstem responses of CBA/J mice with neonatal conductive hearing losses and treatment with GM1 ganglioside (87) 104
Moore, J.K., Perazzo, L.M. and Braun, A.
Time course of axonal myelination in the human brainstem auditory pathway (87) 21
Moushegian, G., see Mandava, P. (87) 114

Naito, Y., Newman, A., Lee, W.S., Beykirch, K. and Honrubia, V.
Projections of the individual vestibular end-organs in the brain stem of the squirrel monkey (87) 141
Nenov, A., see Chen, C. (87) 1
Newman, A., see Naito, Y. (87) 141
Norris, C.H., see Chen, C. (87) 1

Perazzo, L.M., see Moore, J.K. (87) 21
Pippin, G.W., see Money, M.K. (87) 104

Rarey, K.E., see Zuo, J. (87) 220
Romand, R., see Zine, A. (87) 165
Rupert, A.L., see Mandava, P. (87) 114

ELSEVIER

Hearing Research 87 (1995) 228–229

HEARING RESEARCH

Author Index

Baber, A., see Bobbin, R.P. (87) 49
Bagger-Sjöbäck, D., see Zuo, J. (87) 220
Berlin, C.I., Hood, L.J., Hurley, A.E., Wen, H. and Kemp, D.T.
Binaural noise suppresses linear click-evoked otoacoustic emissions more than ipsilateral or contralateral noise (87) 96
Beykirch, K., see Naito, Y. (87) 141
Bobbin, R.P., Fallon, M., LeBlanc, C. and Baber, A.
Evidence that glutathione is the unidentified amine (Unk 2.5) released by high potassium into cochlear fluids (87) 49
Bobbin, R.P., see Chen, C. (87) 1
Bobbin, R.P., see Skellett, R.A. (87) 41
Boettcher, F.A., White, D.R., Mills, J.H. and Schmiedt, B.N.
Age-related changes in auditory evoked potentials of gerbils. III. Low-frequency responses and repetition rate effects (87) 208
Braun, A., see Moore, J.K. (87) 21
Bright, L., see Chen, C. (87) 1

Carr, C.E., see Code, R.A. (87) 69
Chen, C., Nenov, A., Skellett, R., Fallon, M., Bright, L., Norris, C.H. and Bobbin, R.P.
Nitroprusside suppresses cochlear potentials and outer hair cell responses (87) 1
Code, R.A. and Carr, C.E.
Enkephalin-like immunoreactivity in the chick brainstem: possible relation to the cochlear efferent system (87) 69
Collet, L., see Lina-Granade, G. (87) 55
Cotanche, D.A., see Lee, K.H. (87) 9
Crist, J.R., see Skellett, R.A. (87) 41
Curtis, L.M., see Zuo, J. (87) 220

De Snoo, S.L., see Frijns, J.H.M. (87) 170

Fallon, M., see Bobbin, R.P. (87) 49
Fallon, M., see Chen, C. (87) 1
Fallon, M., see Skellett, R.A. (87) 41
Ferrary, E., see Laurell, G. (87) 16
Finlayson, P.G.
Decreased inhibition to lateral superior olive neurons in young and aged Sprague-Dawley rats (87) 84
Freeman, D.M., see Shah, D.M. (87) 187
Frijns, J.H.M., De Snoo, S.L. and Schoonhoven, R.
Potential distributions and neural excitation patterns in a rotationally symmetric model of the electrically stimulated cochlea (87) 170

Gu, R., see Su, Z.-L. (87) 62

Hafidi, A., see Zine, A. (87) 165
Honrubia, V., see Naito, Y. (87) 141
Hood, L.J., see Berlin, C.I. (87) 96
Hultcrantz, M., see Zuo, J. (87) 220
Hurley, A.E., see Berlin, C.I. (87) 96

Ikeda, K., see Suzuki, H. (87) 32

Jiang, S.-C., see Su, Z.-L. (87) 62

Katori, Y., see Suzuki, H. (87) 32
Kemp, D.T., see Berlin, C.I. (87) 96
Kirsch, J.P., see Money, M.K. (87) 104
Klump, G.M. and Langemann, U.
Comodulation masking release in a songbird (87) 157

Langemann, U., see Klump, G.M. (87) 157
Laurell, G., Teixeira, M., Sterkers, O. and Ferrary, E.
Effect of cisplatin administration on the electrochemical composition of endolymph in the rat cochlea (87) 16
LeBlanc, C., see Bobbin, R.P. (87) 49
Lee, K.H. and Cotanche, D.A.
Detection of β-actin mRNA by RT-PCR in normal and regenerating chicken cochleae (87) 9
Lee, W.S., see Naito, Y. (87) 141
Lina-Granade, G. and Collet, L.
Effect of interstimulus interval on evoked otoacoustic emissions (87) 55

Mäkelä, J.P., see Vasama, J.-P. (87) 132
Mandava, P., Rupert, A.L. and Moushegian, G.
Vowel and vowel sequence processing by cochlear nucleus neurons (87) 114
Mills, J.H., see Boettcher, F.A. (87) 208
Money, M.K., Pippin, G.W., Weaver, K.E., Kirsch, J.P. and Webster, D.B.
Auditory brainstem responses of CBA/J mice with neonatal conductive hearing losses and treatment with GM1 ganglioside (87) 104
Moore, J.K., Perazzo, L.M. and Braun, A.
Time course of axonal myelination in the human brainstem auditory pathway (87) 21
Moushegian, G., see Mandava, P. (87) 114

Naito, Y., Newman, A., Lee, W.S., Beykirch, K. and Honrubia, V.
Projections of the individual vestibular end-organs in the brain stem of the squirrel monkey (87) 141
Nenov, A., see Chen, C. (87) 1
Newman, A., see Naito, Y. (87) 141
Norris, C.H., see Chen, C. (87) 1

Perazzo, L.M., see Moore, J.K. (87) 21
Pippin, G.W., see Money, M.K. (87) 104

Rarey, K.E., see Zuo, J. (87) 220
Romand, R., see Zine, A. (87) 165
Rupert, A.L., see Mandava, P. (87) 114

Schmiedt, B.N., see Boettcher, F.A. (87) 208
Schoonhoven, R., see Frijns, J.H.M. (87) 170
Shah, D.M., Freeman, D.M. and Weiss, T.F.
The osmotic response of the isolated, unfixed mouse tectorial membrane to isosmotic solutions: effect of Na^+, K^+, and Ca^{2+} concentration (87) 187
Skellett, R., see Chen, C. (87) 1
Skellett, R.A., Crist, J.R., Fallon, M. and Bobbin, R.P.
Caffeine-induced shortening of isolated outer hair cells: An osmotic mechanism of action (87) 41
Sterkers, O., see Laurell, G. (87) 16
Su, Z.-L., Jiang, S.-C., Gu, R. and Yang, W.-P.
Two types of calcium channels in bullfrog saccular hair cells (87) 62
Suzuki, H., Katori, Y., Ikeda, K. and Takasaka, T.
Carbohydrate distribution in the living utricular macula of the guinea pig detected by lectins (87) 32

Takasaka, T., see Suzuki, H. (87) 32
Teixeira, M., see Laurell, G. (87) 16
Ten Cate, W.J.F., see Zuo, J. (87) 220

Vasama, J.-P. and Mäkelä, J.P.
Auditory pathway plasticity in adult humans after unilateral idiopathic sudden sensorineural hearing loss (87) 132

Weaver, K.E., see Money, M.K. (87) 104
Webster, D.B., see Money, M.K. (87) 104
Weiss, T.F., see Shah, D.M. (87) 187
Wen, H., see Berlin, C.I. (87) 96
White, D.R., see Boettcher, F.A. (87) 208

Yang, W.-P., see Su, Z.-L. (87) 62
Yao, X., see Zuo, J. (87) 220

Zine, A., Hafidi, A. and Romand, R.
Fimbrin expression in the developing rat cochlea (87) 165
Zuo, J., Curtis, L.M., Yao, X., Ten Cate, W.J.F., Bagger-Sjöbäck, D., Hultcrantz, M. and Rarey, K.E.
Glucocorticoid receptor expression in the postnatal rat cochlea (87) 220

ELSEVIER

Hearing Research 87 (1995) 230–233

HEARING RESEARCH

Subject Index

Actin
Cochlea; Reverse Transcriptase PCR; Regeneration; Hair Cell; Chicken (Lee, K.H. (87) 9)

Stereocilia; Hair cell; Cytoskeletal protein; Ontogenesis (Zine, A. (87) 165)

Adaptation
Otoacoustic emissions; Outer hair cell; Cochlea; Stimulus rate (Lina-Granade, G. (87) 55)

Afferent innervation
Vestibular receptor; Vestibular nucleus; Squirrel monkey (Naito, Y. (87) 141)

Aging
Lateral superior olive; Sprague-Dawley rat; Inhibitory deficits (Finlayson, P.G. (87) 84)

Auditory brainstem response; Evoked potential; Gerbil; Hearing loss; Presbyacusis (Boettcher, F.A. (87) 208)

Amine
Release; HPLC; Depolarization; Hair cell (Bobbin, R.P. (87) 49)

Auditory brainstem response
GM1 ganglioside; Conductive hearing loss; CBA/J mice (Money, M.K. (87) 104)

Aging; Evoked potential; Gerbil; Hearing loss; Presbyacusis (Boettcher, F.A. (87) 208)

Auditory cortex
Auditory evoked field; Hearing disorder; Sensorineural; Unilateral hearing loss; Interstimulus interval; Plasticity; Human (Vasama, J.-P. (87) 132)

Auditory evoked field
Auditory cortex; Hearing disorder; Sensorineural; Unilateral hearing loss; Interstimulus interval; Plasticity; Human (Vasama, J.-P. (87) 132)

Auditory nerve fibre
Auditory prosthesis; Electrical stimulation; Electrical volume conduction; Boundary element method; Computational modelling (Frijns, J.H.M. (87) 170)

Auditory pathways
Axons; Cochlear nerve; Myelin sheath; Oligodendroglia (Moore, J.K. (87) 21)

Auditory prosthesis
Electrical stimulation; Electrical volume conduction; Boundary element method; Auditory nerve fibre; Computational modelling (Frijns, J.H.M. (87) 170)

Axons
Cochlear nerve; Auditory pathways; Myelin sheath; Oligodendroglia (Moore, J.K. (87) 21)

Binaural
Otoacoustic emissions; Efferent suppression; Ipsilateral; Contralateral; Forward masking (Berlin, C.I. (87) 96)

Bird
Masking; Masking release; Comodulation; Comodulation masking release (Klump, G.M. (87) 157)

Boundary element method
Auditory prosthesis; Electrical stimulation; Electrical volume conduction; Auditory nerve fibre; Computational modelling (Frijns, J.H.M. (87) 170)

Caffeine
Hair cell, outer; Osmolarity; Ryanodine receptor (Skellett, R.A. (87) 41)

Calcium channel
Hair cells; Patch-clamp technique (Su, Z.-L. (87) 62)

Carbohydrate
Utricle; Guinea pig; Lectin; Confocal laser scanning microscopy; Sialidase (Suzuki, H. (87) 32)

CBA/J mice
GM1 ganglioside; Conductive hearing loss; Auditory brainstem response (Money, M.K. (87) 104)

ChAT-immunoreactivity
Superior olivary nucleus; Lateral lemniscal nuclei; Cochlear efferent neuron (Code, R.A. (87) 69)

Chicken
Actin; Cochlea; Reverse Transcriptase PCR; Regeneration; Hair Cell (Lee, K.H. (87) 9)

Cochlea
Actin; Reverse Transcriptase PCR; Regeneration; Hair Cell; Chicken (Lee, K.H. (87) 9)

Otoacoustic emissions; Outer hair cell; Stimulus rate; Adaptation (Lina-Granade, G. (87) 55)

Cochlear efferent neuron
Superior olivary nucleus; Lateral lemniscal nuclei; ChAT-immunoreactivity (Code, R.A. (87) 69)

Cochlear nerve
Axons; Auditory pathways; Myelin sheath; Oligodendroglia (Moore, J.K. (87) 21)

Cochlear nucleus neurons
Vowel sequences; Coding properties (Mandava, P. (87) 114)

Coding properties
Cochlear nucleus neurons; Vowel sequences (Mandava, P. (87) 114)

Comodulation
Masking; Masking release; Comodulation masking release; Bird (Klump, G.M. (87) 157)

Comodulation masking release
Masking; Masking release; Comodulation; Bird (Klump, G.M. (87) 157)

Computational modelling
Auditory prosthesis; Electrical stimulation; Electrical volume conduction; Boundary element method; Auditory nerve fibre (Frijns, J.H.M. (87) 170)

Conductive hearing loss
GM1 ganglioside; Auditory brainstem response; CBA/J mice (Money, M.K. (87) 104)

Confocal laser scanning microscopy
Utricle; Guinea pig; Carbohydrate; Lectin; Sialidase (Suzuki, H. (87) 32)

Contralateral
Otoacoustic emissions; Efferent suppression; Binaural; Ipsilateral; Forward masking (Berlin, C.I. (87) 96)

Cytoskeletal protein
Stereocilia; Hair cell; Actin; Ontogenesis (Zine, A. (87) 165)

Depolarization
Release; HPLC; Amine; Hair cell (Bobbin, R.P. (87) 49)

Development
Glucocorticoid receptor; Immunocytochemistry (Zuo, J. (87) 220)

Efferent suppression
Otoacoustic emissions; Binaural; Ipsilateral; Contralateral; Forward masking (Berlin, C.I. (87) 96)

Electrical stimulation
Auditory prosthesis; Electrical volume conduction; Boundary element method; Auditory nerve fibre; Computational modelling (Frijns, J.H.M. (87) 170)

Electrical volume conduction
Auditory prosthesis; Electrical stimulation; Boundary element method; Auditory nerve fibre; Computational modelling (Frijns, J.H.M. (87) 170)

Electromotility
Nitric oxide; Ferricyanide; Ferrocyanide; S-nitroso-*N*-acetylpenicillamine; Voltage-clamp (Chen, C. (87) 1)

Endocochlear potential
Inner ear fluids; LD50 (Laurell, G. (87) 16)

Evoked potential
Aging; Auditory brainstem response; Gerbil; Hearing loss; Presbyacusis (Boettcher, F.A. (87) 208)

Ferricyanide
Nitric oxide; Ferrocyanide; S-nitroso-*N*-acetylpenicillamine; Electromotility; Voltage-clamp (Chen, C. (87) 1)

Ferrocyanide
Nitric oxide; Ferricyanide; S-nitroso-*N*-acetylpenicillamine; Electromotility; Voltage-clamp (Chen, C. (87) 1)

Forward masking
Otoacoustic emissions; Efferent suppression; Binaural; Ipsilateral; Contralateral (Berlin, C.I. (87) 96)

Gerbil
Aging; Auditory brainstem response; Evoked potential; Hearing loss; Presbyacusis (Boettcher, F.A. (87) 208)

Glucocorticoid receptor
Immunocytochemistry; Development (Zuo, J. (87) 220)

GM1 ganglioside
Conductive hearing loss; Auditory brainstem response; CBA/J mice (Money, M.K. (87) 104)

Guinea pig
Utricle; Carbohydrate; Lectin; Confocal laser scanning microscopy; Sialidase (Suzuki, H. (87) 32)

Hair Cell
Actin; Cochlea; Reverse Transcriptase PCR; Regeneration; Chicken (Lee, K.H. (87) 9)

Hair cell
Release; HPLC; Amine; Depolarization (Bobbin, R.P. (87) 49)

Stereocilia; Cytoskeletal protein; Actin; Ontogenesis (Zine, A. (87) 165)

Hair cell, outer
Caffeine; Osmolarity; Ryanodine receptor (Skellett, R.A. (87) 41)

Hair cells
Calcium channel; Patch-clamp technique (Su, Z.-L. (87) 62)

Hearing disorder
Auditory evoked field; Auditory cortex; Sensorineural; Unilateral hearing loss; Interstimulus interval; Plasticity; Human (Vasama, J.-P. (87) 132)

Hearing loss
Aging; Auditory brainstem response; Evoked potential; Gerbil; Presbyacusis (Boettcher, F.A. (87) 208)

HPLC
Release; Amine; Depolarization; Hair cell (Bobbin, R.P. (87) 49)

Human
Auditory evoked field; Auditory cortex; Hearing disorder; Sensorineural; Unilateral hearing loss; Interstimulus interval; Plasticity (Vasama, J.-P. (87) 132)

Immunocytochemistry
Glucocorticoid receptor; Development (Zuo, J. (87) 220)

Inhibitory deficits
Lateral superior olive; Aging; Sprague-Dawley rat (Finlayson, P.G. (87) 84)

Inner ear fluids
LD50; Endocochlear potential (Laurell, G. (87) 16)

Interstimulus interval
Auditory evoked field; Auditory cortex; Hearing disorder; Sensorineural; Unilateral hearing loss; Plasticity; Human (Vasama, J.-P. (87) 132)

Ipsilateral
Otoacoustic emissions; Efferent suppression; Binaural; Contralateral; Forward masking (Berlin, C.I. (87) 96)

Lateral lemniscal nuclei
Superior olivary nucleus; Cochlear efferent neuron; ChAT-immunoreactivity (Code, R.A. (87) 69)

Lateral superior olive
Aging; Sprague-Dawley rat; Inhibitory deficits (Finlayson, P.G. (87) 84)

LD50
Inner ear fluids; Endocochlear potential (Laurell, G. (87) 16)

Lectin
Utricle; Guinea pig; Carbohydrate; Confocal laser scanning microscopy; Sialidase (Suzuki, H. (87) 32)

Lymph composition
Tectorial membrane; Mouse (Shah, D.M. (87) 187)

Masking
Masking release; Comodulation; Comodulation masking release; Bird (Klump, G.M. (87) 157)

Masking release
Masking; Comodulation; Comodulation masking release; Bird (Klump, G.M. (87) 157)

Mouse
Tectorial membrane; Lymph composition (Shah, D.M. (87) 187)

Myelin sheath
Axons; Cochlear nerve; Auditory pathways; Oligodendroglia (Moore, J.K. (87) 21)

Nitric oxide
Ferricyanide; Ferrocyanide; S-nitroso-*N*-acetylpenicillamine; Electromotility; Voltage-clamp (Chen, C. (87) 1)

Oligodendroglia
Axons; Cochlear nerve; Auditory pathways; Myelin sheath (Moore, J.K. (87) 21)

Ontogenesis
Stereocilia; Hair cell; Cytoskeletal protein; Actin (Zine, A. (87) 165)

Osmolarity
Hair cell, outer; Caffeine; Ryanodine receptor (Skellett, R.A. (87) 41)

Otoacoustic emissions
Outer hair cell; Cochlea; Stimulus rate; Adaptation (Lina-Granade, G. (87) 55)

Efferent suppression; Binaural; Ipsilateral; Contralateral; Forward masking (Berlin, C.I. (87) 96)

Outer hair cell
Otoacoustic emissions; Cochlea; Stimulus rate; Adaptation (Lina-Granade, G. (87) 55)

Patch-clamp technique
Calcium channel; Hair cells (Su, Z.-L. (87) 62)

Plasticity
Auditory evoked field; Auditory cortex; Hearing disorder; Sensorineural; Unilateral hearing loss; Interstimulus interval; Human (Vasama, J.-P. (87) 132)

Presbyacusis
Aging; Auditory brainstem response; Evoked potential; Gerbil; Hearing loss (Boettcher, F.A. (87) 208)

Regeneration
Actin; Cochlea; Reverse Transcriptase PCR; Hair Cell; Chicken (Lee, K.H. (87) 9)

Release
HPLC; Amine; Depolarization; Hair cell (Bobbin, R.P. (87) 49)

Reverse Transcriptase PCR
Actin; Cochlea; Regeneration; Hair Cell; Chicken (Lee, K.H. (87) 9)

Ryanodine receptor
Hair cell, outer; Caffeine; Osmolarity (Skellett, R.A. (87) 41)

Sensorineural
Auditory evoked field; Auditory cortex; Hearing disorder; Unilateral hearing loss; Interstimulus interval; Plasticity; Human (Vasama, J.-P. (87) 132)

Sialidase
Utricle; Guinea pig; Carbohydrate; Lectin; Confocal laser scanning microscopy (Suzuki, H. (87) 32)

S-nitroso-*N*-acetylpenicillamine
Nitric oxide; Ferricyanide; Ferrocyanide; Electromotility; Voltage-clamp (Chen, C. (87) 1)

Sprague-Dawley rat
Lateral superior olive; Aging; Inhibitory deficits (Finlayson, P.G. (87) 84)

Squirrel monkey
Afferent innervation; Vestibular receptor; Vestibular nucleus (Naito, Y. (87) 141)

Stereocilia
Hair cell; Cytoskeletal protein; Actin; Ontogenesis (Zine, A. (87) 165)

Stimulus rate
Otoacoustic emissions; Outer hair cell; Cochlea; Adaptation (Lina-Granade, G. (87) 55)

Superior olivary nucleus
Lateral lemniscal nuclei; Cochlear efferent neuron; ChAT-immunoreactivity (Code, R.A. (87) 69)

Tectorial membrane
Lymph composition; Mouse (Shah, D.M. (87) 187)

Unilateral hearing loss
Auditory evoked field; Auditory cortex; Hearing disorder; Sensorineural; Interstimulus interval; Plasticity; Human (Vasama, J.-P. (87) 132)

Utricle
Guinea pig; Carbohydrate; Lectin; Confocal laser scanning microscopy; Sialidase (Suzuki, H. (87) 32)

Vestibular nucleus
Afferent innervation; Vestibular receptor; Squirrel monkey (Naito, Y. (87) 141)

Vestibular receptor
Afferent innervation; Vestibular nucleus; Squirrel monkey (Naito, Y. (87) 141)

Voltage-clamp
Nitric oxide; Ferricyanide; Ferrocyanide; S-nitroso-*N*-acetylpenicillamine; Electromotility (Chen, C. (87) 1)

Vowel sequences
Cochlear nucleus neurons; Coding properties (Mandava, P. (87) 114)